



Make It A Better TV

LCD TV • PLASMA • PROJECTORS • MONITORS

Your AV Companion

®
FOR STYLISH LIVING
a a v a r a

Brochure 2008

About Aavara®

Welcome to the stylish world of Aavara®, a professional brand of flat screen/panel TV wall mounts & HDMI accessory developed to help you maximise the space and lead the stylish living in your home. With modern styling inspired by the Scandinavian spirit of simplicity and robustness, the elegant design enhances the décor of your living room, home cinema, family room or wherever you want to organise your home entertainment system but without compromising on style. Aavara® is a word derived from the Finnish word avara meaning expansiveness and it is this sense of space and possibility that has been captured in the wide product range. Let Aavara® bring the elegance and sophistication you deserve to your living space.

The Aavara® Mission

Aavara®, a Taiwan based company with its logistic hub in Europe, was developed with the passionate belief that functional products can be both beautiful and durable. Combining the latest technology from the Far East with the simple sophistication of Scandinavia, Aavara® is a synergy between East and West to inspire your living space and give you the solution to your wall or ceiling mounting for business digital signage needs. With a broad range of products designed to fit large LCD/plasma/Projector/Monitor and HDMI accessories, installation is easy and straightforward enabling everyone to create a home entertainment system that makes a visual impact and gives your home the 'designer look' while maximising room space. We want you to have the best and constantly strive in the area of research and development to ensure our range of products are offering the customer the very latest in technology, design and materials.

Aavara® Innovation Corp.

www.aavara.com
sales@aavara.com

www.aavara.net
sales@aavara.net

Aavara® is a registered trademark of Aavara® Innovation Corp. All rights reserved.

Aavara Innovation Corporation. Taiwan, R.O.C.

Aavara® Warranty Policy

To ensure the best quality and service, Aavara® always insists on the highest technology and innovation in design. Products in the Elegant series carry a 5 year warranty and Superior & professional series come with a 10 year warranty.



Aavara® Europe Hub -Rotterdam, The Netherlands

For serving European Warehousing and Logistics

- Freight Forwarding via Ocean, Air and Land Transportation
- Customs Brokerage – T1, T2L for EU and Non EU Countries
- Customs Clearance and Fiscal Representation
- Delivery to Door Service

Worldwide Certificates

VESA

VESA is an international non-profit corporation to provide industry open standard mounting interfaces for Flat Displays (FDs) such as flat panel monitors, flat displays and flat TVs. Aavara® design products are compliant with the VESA standard, ensuring inter-operability and compatibility with all flat displays in the market.



SGS

SGS is the world's leading inspection, verification, testing and certification company. We have the honour of being granted SGS TENSILE STRENGTH TEST certificates for every series in our range.



RoHS

The RoHS Directive stands for "the restriction of the use of certain hazardous substances in electrical and electronic equipment". This Directive bans the distribution in the EU market of new electrical and electronic equipment containing more than the currently agreed levels of lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) flame retardants.



TABLE of CONTENT

Market Trend & Industry News	1
Digital Signage	2
SUPERIOR SERIES	3
A8050, A2020	4
SH6540, SH4030	5
G6540	6
CH630, Y2638	7
AR210	8
AR110, AR011	9
ELEGANT SERIES	10
EE8050, EE5040	11
EF6540, EF4030	12
EL6540, EL4030	13
EF2020, EL2020	14
EL2010, EL1010	15
PROFESSIONAL SERIES	16
TS742, TS744	17
R9250+EF6540, D9250+EF6540	18
R9250+EF4030, R9250+EF2020	19
PP3025	20
HDMI Cable	21
HDMI Superior Series	22
HDMI Pro/ Elegant Series	23
Superior Product Index	24
Superior Logistic Data	25
Elegant Product Index	26
Elegant Logistic Data	27
Professional Product Index	28
Professional Logistic Data	29

Slim FPD TVs Trend Provides Much More Flexibility In Wall Mounting Applications

Major TV brands like Sharp, Sony, JVC and Hitachi, developing LCD TVs less than 40mm thick and 50% thinner than current ones. Hitachi had launched a series of 3.8cm thin 32"/37"/42" LCD TV and plasma in Japan, coming soon to US and other markets in early 2008. JVC declared to "release 3.7 cm-thick 42-inch LCD TVs" as well as Sharp announced a prototype of the 52-inch LCD TV which 2.9 cm thick at its thickest part.

Most of slim TVs will put into mass-production in 2008 and 2009. And the slim effort made from LCD panel makers is to reduce the backlight thickness. Some samples had been demonstrated and plan to mass production like:

- 10 mm panel (40 inch, 1920 × 1080 resolution) by Samsung
- 19.8mm panel (42 inch, 1920 × 1080 resolution) by LG.Philips, Korea
- 20mm panel (32 inch, 1366 × 768 resolution) by AUO, Taiwan

The ultimate slim display technology is OLED (Organic Light-Emitting Diode) which doesn't need backlight. Sony already started to deliver XEL-11 a 11" 3 mm-thick (the thinnest part) OLED TV, however OLED technology may still have long way to go before mass product at large TV.

TV sets dominate a significant role in the home environment, FPD TV can be mounted right on the wall like a picture, saving lots of space in a room, and optimal for interior décor needs. This slim FPD TVs trend gives consumers the ability to put a bigger picture in a smaller space, providing the ultimate home entertainment experience.

HDMI- A "Must Have" For Consumer Electronics

With the expansion of HDMI beyond core home theater products to PCs, DSLR, Digital Still Cameras and PMP, PS3, Xbox, HDMI continues to dominate the market. The rapid increase of adoption of HDMI-enabled devices in the marketplace makes it the leader in digital connectivity


The HDMI, developed by Hitachi, Matsushita, Philips, Silicon Image, Sony, Thomson and Toshiba as the digital interface standard for the consumer electronics market. It combines uncompressed high-definition video and multi-channel audio in a single digital interface to provide crystal-clear digital quality over a single cable. According to In-Stat, 229 million devices incorporating HDMI are expected to ship in 2008, with an installed base of nearly 1.2 billion HDMI-enabled devices projected by 2010. For more information, please refer to page 21.

Digital Signage Is Dominating New Wave of Display High Demand

-Narrowcasting, dynamic signage, electronic billboards, public display

Digital signage, also referred to as narrowcasting and the most surprisingly growing display network, is proving the most creative ways to grab people attention. For years to come, advertising is moving toward digital dynamic signage which is considered the most optimized tool of presenting all sort of information.


iSuppli resources reported that retail dynamic flat display sales in both indoor & outdoor are increasing up to 300% from 2003 to 2009, which more than 80% high demand on wall/ceiling mount to fulfil Digital signage infrastructure.



Digital Signage Market

- POS (Point of Sale) Advertising
- Corporate Conference Rooms/Board Rooms
- Public Transportation
- Flight Information Displays (FIDs)
- Railway/Bus Terminal Displays
- Bus Terminal Displays
- Electronic Menu Boards
- Tradeshow and Trade Show Rental
- Electronic/Dynamic Digital Displays
- Shopping Mall advertising
- Museums
- Movie Theatre Advertising
- Airport Terminals
- Retail Banking
- Call Centers / Control Rooms
- Institutional / Hospitality TV

Overview of Supply Chain for Digital Signage



Superior Series

Aavara® inspires you to realise the potential within your home



ExperTorque™ Technology

With special Allen Wrench tool included, Aavara® ExperTorque™ technology enables LCD monitor arms to be adjusted easily by display weight.



Rotation 90°

LCD Monitor Arm allows clockwise rotation easily for max. work efficiency on screen.



Smart Cable Management

Aligning display cables in a tidy way by managing them at both arm channel sides.



Tilt +/-20°

LCD Monitor Arm features tilt +/-20° free angle hinged by display weight, which optimized for best viewing angle.



Swivel +/-20°

LCD Monitor Arm features swivel +/-20° free angle which optimized for best viewing angle on screen.



Cable Hidden Design

Hide all cables completely in a Cable Management Column instead of tangling around the column.



+/-50° Spread

+/-50° Spread design for Cable Management Column making all messy cables hidden inside completely.



Smart Cable Management

With indented shape for positioning cables, it makes cables in a managed and aligned way.



Support up to 4 AV Devices

Cable Management Column is capable of supporting up to 4 set of AV device and manually adjust the device position as you desired.



Extendable Length

Supporting all makes of AV device on the market with extendable arms to hold firmly.



Universal For All AV Devices

AV/HIFI support can hold each AV devices up to 15kg/33lbs and fit all makes of devices.



Automatic Safety Lock

Superior series wall mount can lock and unlock your display automatically by pulling the strip attached.



Lateral Shift

Superior series wall mount can be shifted horizontally and effortlessly to the left or right min. 35mm from the center.



Safety Lock

Aavara® Superior A series offers a very consolidated mount solution with safety lock function to keep TV from falling especially for larger display.



0°~20° Free Angle Tilt

Superior series wall mount enables you to tilt your display for the best viewing angle from 0°~20°.



VESA Compatible

All Superior series wall mounts are VESA Compatible.



4 Pivot Points

Designed with heavy duty construction, Superior A series adopts 4 pivot points which make the max. swivel angle in your desired position.




Smart Cable Management

Aavara® Superior A series' dedicated design of cable holder & arm channels offering an aligned cable management system for home theater.




A8050

LCD/ Plasma Support




Features

- FLAT PANEL SIZE: 37"-62"/ 94~157cm
- LOADING CAPACITY: 85kg / 187lbs
- TILT ANGLE: +/-15°
- SWIVEL ANGLE: +/-60°
- EXTENDED ARM PROVIDED: 4 Arms
- SAFETY LOCK: Yes
- CABLE MANAGEMENT: Smart Cable Management System
- MATERIAL: Steel / Aluminum
- MAX. DISTANCE TO WALL: 21.6"/ 550mm
- PRODUCT WEIGHT: 15.4kg/34lbs
- SCREW TYPE: M4,M5,M6,M8
- MAX. MOUNTING: 810*500 mm



A2020

LCD/ Plasma Support



Features

- FLAT PANEL SIZE: 26"-42"/ 66~107cm
- LOADING CAPACITY: 60kg / 134lbs
- TILT ANGLE: Max. +/-15°
- SWIVEL ANGLE: Max. +/-60°
- EXTENDED ARM PROVIDED: 4 Arms
- CABLE MANAGEMENT: Smart Cable Management System
- MATERIAL: Steel / Aluminum
- MAX. DISTANCE TO WALL: 21.6"/ 550mm
- PRODUCT WEIGHT: 13.3kg/29lbs
- SCREW TYPE: M4,M5,M6,M8
- MAX. MOUNTING: 200x200mm
- SAFETY LOCK: Yes

SUPERIOR SERIES


Aavara™ inspires you to recognise the potential within your home

FOR STYLISH LIVING
aavara



SH6540

LCD/ Plasma Wall Support



Features

- FLAT PANEL SIZE: 32" - 60" / 81-152cm
- LOADING CAPACITY: 80kg / 175lbs
- TILT ANGLE: 0°-20° free angle
- ULTRA SLIM PROFILE: 2.95"/75mm
- MATERIAL: Aluminum alloy
- LATERAL SHIFT: Slided to the left or right min. 35mm from the center
- AUTOMATIC SAFETY LOCK: Yes
- MAX. MOUNTING: 720x 400mm
- PRODUCT WEIGHT: 6.4kg / 14lbs
- SCREW TYPE: M8.M6.M5.M4



AUTOMATIC SAFETY LOCK



LATERAL SHIFT



ULTRA SLIM PROFILE: 75MM



0°-20° FREE ANGLE TILT


SGS
TENSILE STRENGTH TESTED

10
YEAR WARRANTY



SH4030

LCD/ Plasma Wall Support




Features

- FLAT PANEL SIZE: 26" - 52" / 66-132cm
- LOADING CAPACITY: 80kg / 175lbs
- TILT ANGLE: 0°-20° free angle
- ULTRA SLIM PROFILE: 2.95"/75mm
- MATERIAL: Aluminum alloy
- LATERAL SHIFT: Slided to the left or right min. 35mm from the center
- AUTOMATIC SAFETY LOCK: Yes
- MAX. MOUNTING: 480x330mm
- PRODUCT WEIGHT: 5.1kg / 11.2lbs
- SCREW TYPE: M6.M5.M4



G6540

Glass TV Stand



Wall Mount Kit (EL6540)

Cable Management Column

AV/ HiFi Support

Tempered Glass

Aluminum Alloy Stand



ANTI-THEFT LOCK*



SAFETY LOCK



LATERAL SHIFT



ULTRA SLIM PROFILE: 40MM



Glass Color Scheme



CABLES COMPLETELY HIDDEN INSIDE



50° 50°
EASY CABLE HIDING



SMART CABLE HIDDEN DESIGN



SUPPORT UP TO 4 SET AV DEVICE



110° STRETCH OUT



EXTENDED LENGTH FOR ALL AV DEVICE



FOR ALL MAKES OF AV DEVICE UP TO 15KG/33LBS

Features

- **FLAT PANEL SIZE:** 32"-60"/ 81-152cm
- **LOADING CAPACITY:** 60kg/132lbs
- **CABLE MANAGEMENT:** Cables hidden in tidy way
- **AV/HIFI SUPPORT:** Support up to 4 sets of devices
- **TEMPERED GLASS STAND:** Anti-explosion & consolidated glass
- **AV MODULAR SYSTEM:** All Equipment-in-1-set
- **SAFETY LOCK & ANTI-THEFT LOCK*:** Yes
- **MAX. MOUNTING:** 730x450mm
- **SCREW TYPE:** M8, M6, M5, M4
- **MATERIAL:** Aluminum alloy & steel

SUPERIOR SERIES

Aavara® inspires you to recognise the potential within your home

FOR STYLISH LIVING
aavara



CH630

Cable Management Column



Features

- AV/ HIFI MODULAR SYSTEM
- CABLE COMPLETELY HIDDEN INSIDE
- SMART CABLE MANAGEMENT
- BEST COMBINE WITH AAVARA AV / HIFI SUPPORT
- PARALLELED SPREAD UP TO 50° FOR EASILY CABLE HIDING
- LOADING CAPACITY: Up to 4 set of AV devices (15kg each)
- MATERIAL: Aluminum alloy
- PRODUCT WEIGHT: 0.95kg / 2.1lbs
- EASY INSTALLATION: 2-EASY-STEP
- VERTICAL ADJUSTMENT: AV / HiFi Support be adjusted to desired position



CABLES COMPLETELY HIDDEN INSIDE



50° SPREAD FOR EASILY CABLE HIDING



SMART CABLE MANAGEMENT



SUPPORT UP TO 4 SET AV DEVICE



110° STRETCH OUT



EXTENDED LENGTH FOR ALL AV DEVICE




FOR ALL MAKES OF AV DEVICE



Y2638

AV/ HiFi Support



(mm)

Features


- AV/ HIFI MODULAR SYSTEM
- EXTENDED LENGTH: 238-358mm
- 110° STRETCH OUT TO FIT ALL MAKES OF DEVICES
- BEST COMBINE WITH AAVARA CABLE MANAGEMENT COLUMN
- HOLD AV DEVICE STURDY & FIRMLY
- LOADING CAPACITY: 15kg / 33lbs
- MATERIAL: Aluminum alloy
- STYLISH DESIGN FOR HOME THEATER DÉCOR
- PRODUCT WEIGHT: 0.52kg / 1.14lbs
- EASY INSTALLATION: 2-EASY-STEP



ALUMINUM
ALLOY CONSTRUCTION

SUITABLE
FOR ALL
MAKES OF
LCD
MONITOR

ExperTorque™ technology



Aavara® is devoted to developing more Ergonomics-oriented products which enhance productivity without compromising on style. With latest patented **ExperTorque™** technology, all of our LCD Monitor Arms are designed for easy adjustment hinged by monitor weight. Move your display up and down effortlessly, just more than a flip of your fingertips.




SGS
TENSILE STRENGTH TESTED

10
YEARS

COMPLIANT
ROHS

AR210

LCD Monitor Arm



(mm)

Features

- FLAT PANEL SIZE: 15"-24"/ 38-61cm
- LOADING CAPACITY: 12kg / 26.5lbs
- TILT ANGLE: +/-20°
- SWIVEL ANGLE: +/-20°
- ROTATION: Rotate Clockwise 90°
- CABLE MANAGEMENT: Smart Cable Management channels
- MATERIAL: Steel / Aluminum Alloy
- PRODUCT WEIGHT: 1.37kg / 3lbs
- DISTANCE TO WALL: Max. 17.5"/445mm
- SCREW TYPE: M4
- VESA COMPATIBLE: 100*100mm / 75*75mm

SUPERIOR SERIES

Aavara® inspires you to recognise the potential within your home



AR110

LCD Monitor Arm



(mm)

Features

- FLAT PANEL SIZE: 15"-24" / 38-61cm
- LOADING CAPACITY: 12kg / 26.5lbs
- TILT ANGLE: +/-20°
- SWIVEL ANGLE: +/-20°
- ROTATION: Rotate Clockwise 90°
- CABLE MANAGEMENT: Smart Cable Management channels
- MATERIAL: Steel / Aluminum Alloy
- PRODUCT WEIGHT: 1.04kg / 2.3lbs
- DISTANCE TO WALL: Max. 10.4"/265mm
- SCREW TYPE: M4
- VESA COMPATIBLE: 100*100mm / 75*75mm



EXPERTORQUE™ FOR EASY ADJUSTMENT



ROTATION 90°



SMART CABLE MANAGEMENT



ROTATION 90°



EXPERTORQUE™ FOR EASY ADJUSTMENT




SAFETY LOCK



AR011

LCD Monitor Arm



(mm)

Features

- FLAT PANEL SIZE: 15"-24" / 38-61cm
- LOADING CAPACITY: 12kg / 26.5lbs
- TILT ANGLE: +/-20°
- SWIVEL ANGLE: +/-20°
- ROTATION: Rotate Clockwise 90°
- SAFETY LOCK: Yes
- MATERIAL: Steel
- PRODUCT WEIGHT: 0.68kg / 1.5lbs
- SCREW TYPE: M4
- VESA COMPATIBLE: 100*100mm / 75*75mm

Elegant Series

Creating a subtle AV ambiance is uppermost in Aavara®'s mind



Outstanding Retail Box

Aavara® creates the very eye-catching retail boxes which give user an elegant and friendly outlook and include 9 multi-language installation manual and full mounting accessory.



0°~15° Tilt

Elegant mount EF2020 enables you to tilt your display for the best viewing angle from 0°~15°.



Safety Lock

Elegant series EL2010 wall mount features holding display in place without any special tool and parts needed.



Anti-Theft Lock

with Anti-Theft Lock, it prevents TV from being stolen and enhances the advanced security in the public.



Safety Lock

Elegant series wall mount features holding display in place without any special tool and parts needed.



Lateral Shift

Elegant series wall mount can be shifted horizontally and effortlessly to the left or right min. 20mm from the center.



Ultra Slim Profile

Elegant series wall mount of distance to wall min. only 40mm, which gives a décor-like outlook.



0°, 5°, 10°, 13°, 15° Tilt

Elegant mount enables you to tilt your display for the best viewing angle from 0°, 5°, 10°, 13°, 15°.



Ultra Slim Profile

Elegant series wall mount of EL1010 models' distance to wall min. only 20mm, which gives a décor-like outlook.



VESA Compatible

All Elegant series wall mounts are VESA Compatible.



Safety Lock

Elegant series EL/EF 2020 wall mount features holding display in place without any special tool and parts needed.



Thumb-rolling Free Tilt

Elegant EE8050, 5040 series are designed cleverly with Thumb-rolling free tilt function to flip angle as you desired effortlessly.



Smooth Finish

Chamfer metal works to make round edges and smooth finish of every details to avoid hands being cut when installing.



Tailor-made Full Screw Pack

Full Screw Pack is included in each retail box which makes unique rear bezel display easy to mount.



Made in Taiwan

Aavara® wall mount brackets are made in Taiwan to ensure the highest quality.

ELEGANT SERIES


Creating a subtle AV ambiance is uppermost in Aavara®'s mind


FOR ELEGANT LIVING
aavara



EE8050

LCD/ Plasma Wall Support



Features

- FLAT PANEL SIZE: 32" - 65" / 81-165cm
- LOADING CAPACITY: 80kg / 175lbs
- TILT ANGLE: thumb-rolling +/-15°
- ULTRA SLIM PROFILE: 2.95" / 75mm
- MATERIAL: Steel
- LATERAL SHIFT: Slided to the left or right min. 20mm from the center
- SAFETY LOCK: Yes
- ANTI-THEFT LOCK*: Yes
- MAX. MOUNTING: 810x500mm
- PRODUCT WEIGHT: 5.2kg / 11.4lbs
- SCREW TYPE: M8, M6, M5, M4




SGS
TEMPLE STRENGTH TESTED



EE5040

LCD/ Plasma Wall Support



Features

- FLAT PANEL SIZE: 26" - 52" / 66-132cm
- LOADING CAPACITY: 80kg / 175lbs
- TILT ANGLE: thumb-rolling +/-15°
- ULTRA SLIM PROFILE: 2.76" / 70mm
- MATERIAL: Steel
- LATERAL SHIFT: Slided to the left or right min. 20mm from the center
- SAFETY LOCK: Yes
- ANTI-THEFT LOCK*: Yes
- MAX. MOUNTING: 510x410mm
- PRODUCT WEIGHT: 3.9kg / 8.6lbs
- SCREW TYPE: M6, M5, M4


*Padlock is not included as it's an optional accessory.



SUITABLE FOR ALL MAKES OF TV


EF6540

LCD/ Plasma Wall Support




Features

- FLAT PANEL SIZE: 32" - 60" / 81-152cm
- LOADING CAPACITY: 80kg / 175lbs
- TILT ANGLE: 0°, 5°, 10°, 13°, 15°
- ULTRA SLIM PROFILE: 1.89"/48mm
- MATERIAL: Steel
- LATERAL SHIFT: Slided to the left or right min. 20mm from the center
- SAFETY LOCK: Yes
- ANTI-THEFT LOCK*: Yes
- MAX. MOUNTING: 725x450mm
- PRODUCT WEIGHT: 5.2kg / 11.4lbs
- SCREW TYPE: M8, M6, M5, M4



EF4030

LCD/ Plasma Wall Support



Features

- FLAT PANEL SIZE: 26" - 52" / 66-132cm
- LOADING CAPACITY: 80kg / 175lbs
- TILT ANGLE: 0°, 5°, 10°, 13°, 15°
- ULTRA SLIM PROFILE: 1.89"/48mm
- MATERIAL: Steel
- LATERAL SHIFT: Slided to the left or right min. 20mm from the center
- SAFETY LOCK: Yes
- ANTI-THEFT LOCK*: Yes
- MAX. MOUNTING: 440 x 330mm
- PRODUCT WEIGHT: 3.9kg / 8.6lbs
- SCREW TYPE: M6, M5, M4

*Padlock is not included as it's an optional accessory.

ELEGANT SERIES


Creating a subtly AV ambiance is uppermost in Aavara®'s mind

FOR ELEGANT LIVING
aavara



EL6540

LCD/ Plasma Wall Support



Features

- FLAT PANEL SIZE: 32"-60" / 81-152cm
- LOADING CAPACITY: 80kg / 175lbs
- ULTRA SLIM PROFILE: 1.57" / 40mm
- MATERIAL: Steel
- SCREW TYPE: M8, M6, M5, M4
- LATERAL SHIFT: Slided to the left or right min. 20mm from the center
- SAFETY LOCK: Yes
- ANTI-THEFT LOCK*: Yes
- MAX. MOUNTING: 730x450mm
- PRODUCT WEIGHT: 4.2kg / 9.15lbs



ANTI-THEFT LOCK*

SAFETY LOCK


LATERAL SHIFT

ULTRA SLIM PROFILE: 40MM



EL4030

LCD/ Plasma Wall Support



Features


- FLAT PANEL SIZE: 26" - 52" / 66-132cm
- LOADING CAPACITY: 80kg / 175lbs
- ULTRA SLIM PROFILE: 1.57" / 40mm
- MATERIAL: Steel
- SCREW TYPE: M6, M5, M4
- LATERAL SHIFT: Slided to the left or right min. 20mm from the center
- SAFETY LOCK: Yes
- ANTI-THEFT LOCK*: Yes
- MAX. MOUNTING: 450x330mm
- PRODUCT WEIGHT: 2.8kg / 6.2lbs

*Padlock is not included as it's an optional accessory.



EF2020

LCD Wall Support



Features

- FLAT PANEL SIZE: 22"-45" / 56-114cm
- LOADING CAPACITY: 60kg / 132lbs
- TILT ANGLE: 0°-15° free angle
- ULTRA SLIM PROFILE: 1.77"/ 45mm
- MATERIAL: Steel
- SAFETY LOCK: Yes
- MAX. MOUNTING: 200x200mm
- PRODUCT WEIGHT: 2kg / 4.4lbs
- SCREW TYPE: M6,M5,M4



ULTRA SLIM
PROFILE: 45MM



0°-15°
FREE ANGLE



SAFETY LOCK



ULTRA SLIM
PROFILE: 40MM



200x200/200x100/
100x100MM




SAFETY LOCK



EL2020

LCD Wall Support



Features

- FLAT PANEL SIZE: 22"-45" / 56-114cm
- LOADING CAPACITY: 60 kg / 132 lbs
- ULTRA SLIM PROFILE: 1.57"/ 40mm
- MATERIAL: Steel
- SAFETY LOCK: Yes
- MAX. MOUNTING: 200x200mm
- PRODUCT WEIGHT: 1.45kg / 3.2lbs
- SCREW TYPE: M6,M5,M4

ELEGANT SERIES


Creating a subtly AV ambiance is uppermost in Aavara®'s mind



SUITABLE
FOR ALL
MAKES
OF TV

EL2010

LCD Wall Support




Features

- FLAT PANEL SIZE: 17"-32" / 43-81cm
- LOADING CAPACITY: 60 kg / 132 lbs
- ULTRA SLIM PROFILE : 1.57"/ 40mm
- MATERIAL: Steel
- SAFETY LOCK: Yes
- MAX. MOUNTING: 200x100mm
- PRODUCT WEIGHT: 1kg / 2.2lbs
- SCREW TYPE: M4



EL1010

LCD Wall Support



Features

- FLAT PANEL SIZE: 17"-23" / 43-58cm
- LOADING CAPACITY: 30 kg / 65 lbs
- ULTRA SLIM PROFILE: 0.78"/ 20mm
- MATERIAL: Steel
- MAX. MOUNTING: 100x100mm
- PRODUCT WEIGHT: 0.26kg / 0.57lbs
- SCREW TYPE: M4

Multiple Monitor Stand



Projector Hanger



Ceiling Support



Horizontal & Vertical +/-10°

Projector hanger features free tilt +/-10° optimized for best projecting viewing angle



360° Rotation

The horizontal angle can be set with a range of 360° to any of your desired direction.



Tube Length Adjustable

Projector hanger's adjustable length from 116-578mm with 20.5mm fine increment to your desired position.



Universal For All Projectors

Projector hanger is designed for suitable for all makes of projectors in a hole pattern compatible within Ø350mm



Anti-Theft Lock

With Anti-Theft Lock, it prevents TV from being stolen and enhances the advanced security in the public.



Safety Lock

Ceiling mount features holding display in place without any special tool and parts needed.



Lateral Shift

Ceiling mount can be shifted horizontally and effortlessly to the left or right min. 20mm from the center.



Tube Length Adjustable & Cable Management

Flexibly adjusted length 924-1424mm in 50mm increment without compromising to limited space and featuring cable management inside tube.



0°, 5°, 10°, 13°, 15° Tilt

Ceiling mount enables you to tilt your display for the best viewing angle from 0°, 5°, 10°, 13°, 15°.



90° Rotation

Dual/Quattro Flip Stand allows clockwise rotation easily for max. work efficiency on screen.



Desk Clamp Base

Desk clamp base is an alternative choice of installing Aavara® Multiple LCD Monitor Stand in your work desk, which makes more space at work without compromising on style.



Grommet Mount Base

Grommet mount base is an alternative choice of installing Aavara® Multiple LCD Monitor Stand in your work desk by fixing easily on desk hole at side.



ExperiTorque™ Technology

With special Allen Wrench tool included, Aavara® ExperiTorque™ technology enables Dual/Quattro to be adjusted easily by display weight.



Smart Cable Management

With cable holder system design on the back, it can position multiple monitors' cables in a managed and aligned way.



Horizontal & Vertical Shift

Dual/Quattro Flip Stand series offers a Horizontal & Vertical Shift to make the most of work efficiency on screen.

PROFESSIONAL SERIES

Dual & Quad monitor stand enable the max. work efficiency for Prosumers





ALUMINUM
ALLOY CONSTRUCTION

SUITABLE
FOR ALL
MAKES OF
LCD
MONITOR

TS742

Dual Flip Mount Stand

* depend on size of your display



(mm)

Features



- FLAT PANEL SIZE: 15" -24" / 38-61cm
- LOADING CAPACITY: 12kg / 26.5lbs for each display
- TILT & SWIVEL ANGLE: +/-20°
- HORIZONTAL & VERTICAL SHIFT: Yes*
- CABLE MANAGEMENT: Smart Cable Management System
- ExperTorque™: ExperTorque™ design for easy adjustment hinged by monitor weight
- MATERIAL: Steel / Aluminum
- PRODUCT WEIGHT: 3.5kg / 7.7lbs
- ROTATION: 90°
- SCREW TYPE: M4
- VESA COMPATIBLE: 100*100mm / 75*75mm
- ARM ADJUSTMENT: 2 independent swing arms enable max. work efficiency on screen*



TS744

Quattro Flip Mount Stand

* depend on size of your display



(mm)

Features


- FLAT PANEL SIZE: 15" -24" / 38-61cm
- LOADING CAPACITY: 12kg / 26.5lbs for each display
- TILT & SWIVEL ANGLE: +/-20°
- HORIZONTAL & VERTICAL SHIFT: Yes*
- CABLE MANAGEMENT: Smart Cable Management System
- ExperTorque™: ExperTorque™ design for easy adjustment hinged by monitor weight
- MATERIAL: Steel / Aluminum
- PRODUCT WEIGHT: 6.37kg / 14lbs
- ROTATION: 90°
- SCREW TYPE: M4
- VESA COMPATIBLE: 100*100mm / 75*75mm
- ARM ADJUSTMENT: 4 independent swing arms enable max. work efficiency on screen*



SUITABLE
FOR ALL
MAKES
OF TV


R9250+EF6540

LCD/ Plasma Ceiling Mount




Features

- FLAT PANEL SIZE: 32"-60" / 81-152cm
- LOADING CAPACITY: 60kg/ 132lbs
- TILT ANGLE: 0°, 5°, 10°, 13°, 15°
- MATERIAL: Steel
- ROTATION: 360°
- HEIGHT ADJUSTMENT: 924mm to 1,424mm in 50mm increments
- SAFETY LOCK: Yes
- ANTI-THEFT LOCK*: Yes
- MAX. MOUNTING: 725x450mm
- PRODUCT WEIGHT: 11.4kg / 25lbs
- SCREW TYPE: M8, M6, M5, M4



D9250+EF6540

Dual LCD/ Plasma Ceiling Mount



Features


- FLAT PANEL SIZE: 32"-60" / 81-152cm
- LOADING CAPACITY: 60kg/ 132lbs per side
- TILT ANGLE: 0°, 5°, 10°, 13°, 15°
- MATERIAL: Steel
- ROTATION: 360°
- HEIGHT ADJUSTMENT: 924mm to 1,424mm in 50mm increments
- SAFETY LOCK & ANTI-THEFT LOCK*: Yes
- MAX. MOUNTING: 725x450mm
- PRODUCT WEIGHT: 16kg / 36.4lbs
- SCREW TYPE: M8, M6, M5, M4



R9250+EF4030



LCD/ Plasma Ceiling Mount



Features

- FLAT PANEL SIZE: 26"-52" / 66 - 132cm
- LOADING CAPACITY: 60kg / 132lbs
- TILT ANGLE: 0°, 5°, 10°, 13°, 15°
- MATERIAL: Steel
- ROTATION: 360°
- HEIGHT ADJUSTMENT: 924mm to 1,424mm in 50mm increments
- SAFETY LOCK: Yes
- ANTI-THEFT LOCK*: Yes
- PRODUCT WEIGHT: 9.8kg / 21.6lbs
- MAX. MOUNTING: 440x330mm
- SCREW TYPE: M6, M5, M4



ANTI-THEFT LOCK*



SAFETY LOCK



LATERAL SHIFT



ADJUSTABLE LENGTH: 0°, 5°, 10°, 13°, 15°
924-1,424MM



TILT ANGLE



ADJUSTABLE LENGTH: 0°-15°
924-1,424MM




FREE ANGLE



R9250+EF2020



LCD Ceiling Mount



Features

- FLAT PANEL SIZE: 22"-45" / 56 - 114cm
- LOADING CAPACITY: 60kg/ 132lbs
- TILT ANGLE: 0°-20°
- MATERIAL: Steel
- ROTATION: 360°
- HEIGHT ADJUSTMENT: 924mm to 1,424mm in 50mm increments
- SAFETY LOCK: Yes
- PRODUCT WEIGHT: 7.9kg / 17.4lbs
- MAX. MOUNTING: 200x200mm
- SCREW TYPE: M6, M5, M4



PP3025

Projector Hanger



HORIZONTAL/VERTICAL INCLINATION $\pm 10^\circ$





360° ROTATION



ADJUSTABLE LENGTH
116MM-578MM



COMPATIBLE WITH
DIAMETER 7350MM



Features

- **LOADING CAPACITY:** 15kg / 33lbs
- **TILT ANGLE:** Up to $\pm 10^\circ$ Tilt
- **MATERIAL:** Steel
- **ADJUSTABLE LENGTH:** 116mm-578mm
- **MAX. MOUNTING:** Diameter $\phi 350$ mm
- **PRODUCT WEIGHT:** 1.9kg / 4.2lbs
- **SCREW TYPE:** M2.6, M3, M4, M5
- **FLEXIBLE INCREMENT:** 22.5mm



Aavara® HDMI™ Cables & Adapters

Aavara® HDMI cables are fully HDMI version 1.3 category 2 high speed compliant. Aavara® HDMI cables are designed for perfectly supporting the most demanding of today's full high definition display, TV & AV devices with all of the latest HDMI features like speedy 10.2Gbps transmission, Full HD HDTV 1080p video format, x.v.Color wide color gamut, 16-bit Deep Color capacity, 7.1 channel Dolby True HD and DTS-HD audio, crystal-clear picture and vibrant natural colors.



HDMI V1.3 High Speed Spec- New Age & New Capabilities

Higher Spec with single-link bandwidth

- Up to 10.2 Gbps to support hi-definition display devices

New lossless HD Audio Format

- Support pure, lossless compressed digital audio formats
Such as Dolby® TrueHD & DTS-HD Master Audio™.

Consumer Electronic Control

- Automatic audio/video syncing capability that allows devices to operate synchronization automatically.

New Mini Connector

- Portable devices like camcorder, DSLR, DSC seamless connectivity

Deep Color

- Up to 16-bit color per pixel Color Depth for smoother images, higher contrast ratio and eliminates color banding.

Color Depth	8-bit	10-bit	12-bit	16-bit
Possible Colors	17M	1B	69B	280T



x.v.YCC (x.v.Color)


- Enables HDTVs display colors more accurately and purely
- Boarder color space supports 1.8 times as many colors as existing HDTV signals"

Backward Compatibility

- Compatible with previous HDMI spec and DVI-compliant devices

Lip Sync

- Automatic lip sync timing compensation the delay in video output relative to audio output.





FOR ALL
HDMI-
ENABLED
DEVICES

HDMI™ SUPERIOR

SHM20

HDMI to Mini HDMI (Type C) Cable



SHD30

HDMI to DVI Cable



Model no.	Length	
SHM20	2M	6.56 ft.
SHD30	3M	9.84 ft.



24k
Gold-plated
connector

10.2
Gbps
bandwidth

V1.3
HDMI

1080p
Full HD

120/110Hz
Video
frame rate

7.1
Digital
surround

**Deep
Color**

HDCP
Compatible

**Lip
Sync**

Superior HDMI Cable



Model no.	Length	
SHC20	2M	6.56 ft.
SHC30	3M	9.84 ft.
SHC50	5M	16.4 ft.

Feature & Spec.

- HDMI™ V1.3 spec. Cat. 2 High Speed and HDMI ATC (Authorized Test Center) Certificated
- Support 120/100Hz High Video Refresh rate FPD TVs
- HDMI <-> DVI Interoperability allows easy equipment interconnectivity
- Support Dolby® TrueHD & DTS-HD™ Master Audio transmission
- 340MHz(10.2Gbps) Ultra-wide bandwidth enable brilliant 1080p HD content and 8 channel audio for 7.1 surround
- 24k Gold-plated connector for anti-corrosive & distortion-free
- Support x.v.YCC wide color gamut and 16bits deep color video transmission
- Mini connector (Type C) designed for use with Digital camcorders and still cameras



HDMI™ PRO

Pro AV HDMI Cable



Model no.	Length	
PHC50	5M	16.4 ft.
PHC100	10M	32.8 ft.
PHC150	15M	49.2 ft.

Feature & Spec.

- HDMI™ V1.3 spec. Cat. 2 High Speed and HDMI ATC (Authorized Test Center) Certificated
- Support 120/100Hz High Video Refresh rate FPD TVs
- Suitable for all make of HDMI-Enabled Consumer Electronics
- Support Dolby® TrueHD & DTS-HD™ Master Audio transmission
- 340MHz(10.2Gbps) Ultra-wide bandwidth enable brilliant 1080p HD content and 8 channel audio for 7.1 surround
- 24k Gold-plated connector for anti-corrosive & distortion-free
- Support x.v.YCC wide color gamut and 16bits deep color video transmission

120/100Hz
Video
frame rate

24k
Gold-plated
connector

10.2
Gbps
bandwidth

V1.3
HDMI™

1080p
Full HD

7.1
Digital
surround

Deep
Color

HDCP
Compatible

Lip
Sync

HDMI™ ELEGANT

Hi-Definition AV Cable



DVI to HDMI Adapter



HDMI to DVI Adapter



Model no.	Length	
EHC15	1.5M	4.92 ft.
EHC20	2M	6.56 ft.
EHC30	3M	9.84 ft.
EA-DVI-HDMI	DVI to HDMI Adapter	
EA-HDMI-DVI	HDMI to DVI adapter	

Feature & Spec.

- HDMI™ V1.3 spec. Cat. 2 High Speed and HDMI ATC (Authorized Test Center) Certificated
- Suitable for all make of HDMI-Enabled Consumer Electronics
- HDMI <-> DVI Interoperability allows easy equipment interconnectivity
- Support Dolby® TrueHD & DTS-HD™ Master Audio transmission
- 340MHz(10.2Gbps) Ultra-wide bandwidth enable brilliant 1080p HD content and 8 channel audio for 7.1 surround
- 24k Gold-plated connector for anti-corrosive & distortion-free
- Support x.v.YCC wide color gamut and 16bits deep color video transmission